

Appendix II - Cardiff

Cardiff licensing conditions attached to current explosive application (ASDA Explosive licence attached):

Conditions included under Regulation 13(5)

Places where explosives may be stored or otherwise present, the hazard type (of any) of those explosives and the description and the maximum amount of the explosive are as shown.

There is not a standard set of conditions. As a result most of the explosive licences do not have specific conditions attached to them at this current time. An example of a current licence is attached.

In addition to any conditions that may be imposed the following information is on all explosive licences however these are **not** listed as conditions.

For Information:

Notes:

1. Each place where explosives are stored should be identified on the appended plan or plans of the site. Where explosives are stored in more than one place the licence must state that, must specify each place, identify the hazard type (if any) of the explosives; describe the explosives which may be stored or otherwise present at any one time in that place; and the maximum amount of explosives which may be stored or otherwise present at any one time in that place and the appended table shows this.
2. Paragraph 1(6) of schedule 5 of the Explosives Regulation 2014 requires that where explosives of different hazard types are in one store, the explosives must be treated as belonging to the hazard type which would require the greatest separation distance for the total quantity of those explosives.
3. Explosives that are not generally described in terms of hazard type but whose storage is to be subject to the conditions of the licence should be listed here. They will comprise those explosives detailed in Regulation 27 (2)(a) and those detailed in regulation 27 (3)(b) – (d) inclusive of the Explosives Regulation 2014.
4. Where conditions are attached to a licence under the provisions of Regulation 13 (7) of the Explosives Regulations 2014 they should be appended to this form and the licensee should have their attention drawn to them.
5. There are [insert number] plans to show the places within this site where explosives may be stored.

6. All quantities are net mass of explosives. The maximum amount of explosives referred to in the tables for each place where explosives are stored has been determined from the tables given in schedule 5 of the ER 2014 and the distances to relevant protected places relevant on the date this licence was granted. The distances to be maintained to the different classes of protected places are shown in the table below

The distances to be maintained to protected places from places where explosives may be stored are:

Place	Class A	Class B	Class C	Class D	Class E	Class F	Class G	Class H
1	2m	3m	6m	6m	6m	3m	9m	11m

If after the grant of this licence the separation distances can no longer be met, you:

- Must reduce the quantity of explosives being stored to ensure your continued compliance with the separation distance requirements of Regulation 27 of ER2014; and
- Should contact your licensing authority as a licence variation may be needed (reg 16 (1)(a))